
High Performance Door System by © T.M. COBB Performance You Can Count On! Available professionally finished by T.M. Cobb Co.

High Performance Door System by T.M. COBB

Why do door units fail? Reducing the possibilities and causes of failure have led us to develop the HP System. We have seen, over the years, that to ensure door unit performance it is crucial to know the right application, have door systems built to the correct specifications, have high quality parts, and follow proper assembly and installation procedures. Not taking these steps results in door and frame failures. The reason the HP System™ works so well is that all parts of the system are designed to work together. When utilized properly, all of our components maximize the seal between the door and the frame, reducing air and water infiltration. Using the HP System saves time and money without sacrificing performance, protection, quality, or attractiveness.



(A)Continuous Headers

Continuous, one piece headers provide strength to the entire door unit.

(B) Continuous Sills

Continuous, one piece sills insure integrity to the entire door system. Our sills are precision machined to work together with our other components.

CObbposite Mulls

One piece mulls reinforced for superior strength, haunched for a perfect fit that does not penetrate the deck of the sill.

(D)Cobbposite Jambs

Our exclusive Cobbposite Jamb installs like wood, but prevents water-wicking up from the bottom.

High Performance System

Weatherstrip is truly a better product. It offers the resilience, durability and consistent compression for lasting performance.

(F) Astragals

The Flip Lock Astragals are revolutionizing the industry. Patented technology increases strength and provides exceptional performance.

(G) Inactive Caps

All of our Mull Programs include solutions for inactive panels for Sidelite and Hinged Patio units.

(⊢)Door Bottoms

Our door bottoms fit every type of door. Our Leading Edge Bulb design provides increased surface contact with the threshold for a superior seal.

T.M. COBB

Superior Performance

R HIGH DAM SILL

HP Door Systems feature the Adjustable High Dam Sill. This sill design combined with HP components enables superior performance.

The Problem Solver

The HP-Series Sill features an exclusive patented design and all synthetic construction, providing excellent performance and preventing callbacks.



Adjusting cap with dual seal that overlaps the dam and prevents water infiltration.



HP Features.

Synthetic Threshold Cap Synthetic Nosing Composite Substrate High Dam design eliminates leakage. The narrow threshold cap is positioned 1/4" behind the door panel, eliminating the chance of water on the threshold cap.

Solution

T-ASTRAGAL






Ordinary astragals have inadequate seals that break down with normal usage. The HP Astragal has a boot and flip lock engineered to work in concert with the HP High Dam Sill. Together this will form a perfect seal for years of performance.

EXCLUSIVELY DESIGNED FOR USE WITH COBBS MULTI-POINT LOCKING SYSTEM


COBBPOSITE JAMB AND T-MULL



THE ROT PROOF SOLUTION FOR YOUR HOME. ALL WITH A LIFETIME WARRANTY.

Superior Performance

🔛 SWEEP & WEATHERSTRIPPING



HP Weathersealing Components are the very best you can buy. They have been designed, engineered and tested to provide weatherproof seals in door systems. Our pressure equalizing corner pad provides increased protection.

Weatherstrip - Reliable Durability







Over time, normal weatherstrips lose their shape.

The HP Weatherstrip doesn't wear out, keeping its shape and protecting the interior of the home.

CONTINUOUS CONSTRUCTION






Box-construction sidelite door units are inherently weak and can rack, resulting in gaps and leakage. Our continuous sills and non-invasively routed headers cover the entire width of the door with one unbroken structure. This adds strength, preventing racking and alignment problems.

SWEEP


Door Bottoms - Leading Edge Bulb Design





"Fin" designs will often leak when under pressure. Leading Edge Bulb Door Bottoms are superior to "fin" designs in that they have more surface contact with the threshold cap.

The HP Corner Pad™





Air pressure increases on the exterior side of door system causing water to flow up the interior column of the weatherstripping. The HP Corner Pad™ blocks water under these conditions, and the result is improved performance.

High Performance Door System by T.M. COBB

- All Units are Available with the Following Door Panels:
 - Steel
 - Fiberglass-Smooth
 - Fiberglass-Embossed
 - Wood Door Panels
- The Cobb/Hoppe
 Exclusive Multi-Point Lock
 Recommended for Superior
 Performance
- Components That Work Together.
 T.M.COBB has Assembled the
 Most Complete System on the
 Market. Superior Performance
 against Water and Air
 Penetration.
- System Available in Swing-In or Swing-Out Configuration
- It's All About How Door Systems Should Work.



HIGH PERFORMANCE EXCLUSIVE ROT PROOF SOLUTION





Cobbposite Frame Features

- Full Cobbposite Construction
- Guaranteed For Life
- 4 1/8" to 7 1/4" Wide Jambs
- Eliminates Call Backs
- Machines, sands and finishes like a standard wood frame
- Smooth Primed or Textured





